




## Advantages. 1/4



1. **Manufactured as Per  
a. I.S.456 -2000.**

2. **Needs no Machinery for Lifting of  
Boards.**



3. **Reinforcement in the Boards is provided  
with proper cover hence they are  
Corrosion Resistant.**

4. **Nandadeep Board are made up of R.C.C.  
hence they can not be stolen.**





5. **Any type of paint can be applied to the  
Nandadeep Boards.**

6. **Due to Low height less obstruction in  
vision for traffic.**







## Advantages. 2/4



7. Nandadeep arrow boards are provided with directional shape indicate direction .
8. Distribution Reinforcement is welded to main reinforcement to give better behavior of combined action of concrete and Reinforcement.
9. No Supporting structure is required to Nandadeep Boards.
10. Reinforcement in Nandadeep Boards is provided with proper covers to increase its durability.



## Advantages. 3/4




**12. Nandadeep Display board can be made available in the shape as per your requirement on bulk order.**

**13. Nandadeep boards are manufactured using M25 Grade Concrete to give Durable and Stronger boards.**





## Advantages. 4/4





Sr.		Nandadeep Boards	M.S. Boards.
1	<b>Corrosion resistant</b>	Yes	No
2	<b>Possibility of theft</b>	No	Yes
2	<b>Regular maintenance required</b>	No	Yes
3	<b>Long Life</b>	Yes	No



Sizes.

Nandadeep Manufactures Boards are available in following sizes.



**[Can be made available as per your requirement on Bulk order.]**

\*Due to continuous Research and development specification and new shapes and sizes are developed. Kindly get detail before placing order. Also take all necessary care for handling, transportation and erection/ installation of Nandadeep Products. It is advised to wear necessary safety equipment to avoid accident. Nandadeep Building Center is not responsible to any damages, losses, or accidents. Our responsibility remains limited to replacement of material purchased from us only.



Technical Details.



## **1. Concrete**

- 1. M25**

## **2. Reinforcement**

- 1. Main As Per Design**
- 2. Distribution 6mm  $\varnothing$  @ 300 mm c/c welded to main reinforcement.**

## **3. Thickness of Board.**


- 1. 40 mm thick.**

## **4. Load carrying Capacity**

- 1. Designed to carry wind load as per I.S. 875.**



Customers



**We have many valuable customers for our Litels.**


**Some of them are as following.**

1.	Unique Nursery School	Cidco	Aurangabad
2	Hari Om Farms	Daulatabad Road	Aurangabad
3	Gadiya Builder	Brijawadi	Aurangabad
4.	Vaikuntha Dham	Aurangabad Road	Jalana
5.	Adarsh Trading	Beed road	Aurangabad.

**And many more.. ....**




Economy





**The cost of Nandadeep Boards varies case to case depending upon the site situation and working factors. It is always recommended to get the actual estimates done from your Consultant. We also provide assistance service to work out the actual cost Nandadeep Boards.**




**In Maximum cases Nandadeep Boards are found to be 50% to 70% cheaper than M.S. Boards with equivalent strength.**







Boards



Boards